



QR[YLOOH]71[]86
('\$[XPEHU]RK0595249

&HUWL\FDWH\RI\QDO\VLV

3\$66('

.06[\$]&RQVOWLQ

Albany, OR, 97321, US
7HOHSKRQH (541) 602-6267
(PDLO] Kyle@discountpharms.com

6DPSOH -1[]
+DUYHVW[RW.] ++&:D[]
%DWFK HHC.wax.2022 6DPSOH[6L]H[5HFHLYHG] 5 grams gram
6DPSOH[] 07/19/22 7RWDO[]%DWFK[6L]H[] N/A
2UGHUHG[] 07/19/22 &RPSOHWHG[] 07/29/23 SLUHV[] 07/29/23
6DPSOH[]0HWKRG[] SOP Client Method

Page 4 of 4

| | | | | | |
|---|--------------------|--------------------|----------------|-----------------|------------|
| Hg | +HDY\0HWD0V | | 3\$66(' | | |
| 0HWDO | /2' | 8QLWV | 5HVXOW | 3DVV[] \$FWLRQ |)DLO /HYHO |
| \$56(1,&[\$6 | 0.02 | ppm | ND | 3\$66 | 1.5 |
| &\$'0,80&' | 0.02 | ppm | ND | 3\$66 | 0.5 |
| 0(5&85<[]+* | 0.02 | ppm | ND | 3\$66 | 3 |
| /(\$[]3% | 0.02 | ppm | ND | 3\$66 | 0.5 |
| \$QDO\JHG[E] | :HJKW | ((WUDFWLRQ]GDWH[] | | ((WUDFWHG[E] | |
| [] | 0.2731g | 07/22/22 14:47:18 | | 138 | |
| \$QDO\VLV[]0HWKRG[] SOP.T.40.050, SOP.T.30.052 | | | | | |
| \$QDOWLFDQ]DWFK[] KN002688HEA 5HYLHZHG[]2Q[] 07/22/22 18:09:26 | | | | | |
| ,QVWUXPHQW[]8VHG[] Metals ICP/MS %DWFK[]DWH[] 07/22/22 09:54:31 | | | | | |
| 5XQLQ]RQ[] N/A | | | | | |
| 'LOXWLRQ[]50 | | | | | |
| 5HDJHQW[]N/A | | | | | |
| &RQVXPDEOHV[]N/A | | | | | |
| 3LSHWWH[]N/A | | | | | |

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.082 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.082TN Heavy Metals Analysis via ICP-MS.